


Residential Garage Doors





Wayne Dalton

Founded in 1954 in the heart of Ohio by Emmanuel Mullet, Wayne Dalton was built on a dedication to quality wood doors, ingenuity, and customer service. Today, Wayne Dalton continues to offer industry-leading and award-winning garage door innovation alongside one of the largest residential garage door lineups in the industry. With an extensive array of panel designs, window options and colors to choose from, Wayne Dalton garage doors can complement virtually any architectural design.

GARAGE DOOR FEATURES AND OPTIONS

A new garage door not only improves your home's curb appeal, it functions as one of your home's most used entry points. Made with care and quality, Wayne Dalton® garage doors offer a variety of performance and safety features.



Warranty

All Wayne Dalton garage doors are made with superior materials and come with a Limited Warranty.



Insulation

An insulated garage door can help in controlling the temperature in your garage space. The effectiveness of insulation is expressed as an R-value* (R). The higher the R-value, the better the insulation in the door. Wayne Dalton offers two types of insulation in our garage doors.

Polystyrene Insulation – A rigid panel of insulation placed inside the door section, with a maximum R-value of 7.4.

Polyurethane Insulation – Foamed-in-place polyurethane insulation delivers twice the thermal performance of polystyrene insulation, as well as adds strength to the door and helps dampen sound transmission. R-values range from 9 to 16.22.



Pinch-Resistant Panels

Select Wayne Dalton models feature pinch-resistant panels, designed to push fingers out of harm's way if accidentally placed near a closing door.



Tight Tongue-and-Groove Joint Seals

Select Wayne Dalton models include snug-fitting tongue-andgroove joint seals that help reduce wind and weather from entering the garage.



TorqueMaster® Plus Counterbalance System

Wayne Dalton's exclusive counterbalance system safely and cleanly contains the garage door springs inside a steel tube. The TorqueMaster® Plus is designed to provide a safeguard against damage or injury that could result from the accidental release of spring tension and features an anti-drop safety device.



TruChoice® Custom Color System

With more than 6,000 colors to choose from, there have never been more choices to coordinate your garage door with your home! This state-of-the-art system uses a multi-step process that mixes each custom color and then bakes the color on for a top-quality factory finish.



Bottom Weather Seal

All Wayne Dalton garage doors feature a vinyl bottom weather seal to help keep drafts and debris from entering the garage.



WindSafe® Wind Load Options

Most Wayne Dalton garage doors offer wind load options that comply with one or more of the following agencies: Florida Building Code, Texas Department of Insurance and Miami-Dade County (FL).



Impact Wind Load Options

Select Wayne Dalton garage doors have been approved for impact resistance. Tests show these doors are capable of stopping the direct impact of a 9 lb. 2x4 board at 50 ft. per second.

^{*}Wayne Dalton uses a calculated door section R-value for our insulated doors.

Traditional Style

These timeless garage door designs coordinate with any style of home and are available in an assortment of trendy colors and window options. From uninsulated, one-layer construction to our most thermally efficient garage door, the Classic Steel Collection offers a door for every budget and home.






















	GOOD			BETTER		BEST	
	MODEL 8000	MODEL 8100	MODEL 8200	MODEL 9100	MODEL 9605	MODEL 8300	MODEL 8500
Construction	Steel	Steel/Insulation	Steel/Insulation	Steel/Insulation/ ToughGard [™] backer	Steel/Insulation/ Steel	Steel/Insulation/ Steel	Steel/Insulation/ Steel
Insulation*	N/A	Polystyrene, R = 3.7	Polystyrene, R = 7.4	Polyurethane, R = 9	Polyurethane, R = 10**	Polyurethane, R = 12.12	Polyurethane, R = 16.22
TorqueMaster® Plus	•	•	•	•	•		
Joint Type	Tongue-and-Groove	Tongue-and-Groove	Tongue-and-Groove	Pinch-Resistant	Pinch-Resistant	Tongue-and-Groove	Tongue-and-Groove
TruChoice®					•	•	•
WindSafe® Options	•	•	•	•	•	•	•
Impact Options	•	•	•	•	•	•	•
Warranty	10-Year Limited	10-Year Limited	10-Year Limited	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime

^{*}Wayne Dalton uses a calculated door section R-value for our insulated doors. **R-value = 10 at 8' high. R-value may differ slightly for other heights.







Sonoma

Choose Your Color

Painted Finishes (Standard)





Taupe

Brown

Wood Grain Finishes



Mission Oak



Walnut

Choose Your Windows















Prairie I

Prairie II

Stockton II

Not all window styles available on all panel designs. Window configuration may vary depending on door size. See Dealer or website for complete window selection.






Sonoma Ranch



Colonial Ranch



Sonoma



Contemporary

Choose Your Color

Painted Finishes (Standard)



White



Almond



Desert Tan



Taupe







Premium Finish



Brown Available on Model 9605

Choose Your Windows

Clear I









Prairie II









Clear III

Stockton I





Waterton I


Stockbridge



Not all window styles available on all panel designs. Window configuration may vary depending on door size. See Dealer or website for complete window selection.







Choose Your Color

Painted Finishes (Standard)



Brown









Terra Bronze

Premium Finish





Wood Grain Finishes (For Sonoma and Sonoma Ranch only)






Black



Walnut

Choose Your Windows



Arched Stockton

Stockton I

Not all window styles available on all panel designs. Window configuration may vary depending on door size. See Dealer or website for complete window selection.


Stockton III

Contemporary












MODEL 9510			
Construction	Steel/Insulation/Steel		
Insulation*	Polyurethane, R = 12		
TorqueMaster® Plus	•		
Joint Type	Pinch-Resistant		
TruChoice®	•		
WindSafe® Options	•		
Warranty	Limited Lifetime		



^{*}Wayne Dalton uses a calculated door section R-value for our insulated doors.







Ridgefield Vicksburg

3-section styling on 7' high doors. Number and height of sections will vary depending on door height.

Choose Your Color

Painted Finishes (Standard)



Premium Finishes



Almond

Gray



Sandstone

Terra Bronze





Black








Stockbridge (4-pane)







Stockbridge (3-pane)







Desert Tan

Window configuration may vary depending on door size. See Dealer or website for complete window selection.

Choose Your Windows

Old World Charm

Inspired by vintage barns, our Carriage House Steel Collection has an old-world look that will make any home the envy of the neighborhood. These doors are fully insulated with foamed-in-place polyurethane insulation and three-layer construction for thermal efficiency.






	GOOD	BETTER	BEST
	MODEL 9405	MODEL 6600	MODEL 9700
Construction	Overlay/Steel/Insulation/Steel	Wood Overlay/Steel/Insulation/Steel	Overlay/Steel/Insulation/Steel
Insulation*	Polyurethane, R = 10	Polyurethane, R = 12.12	Polyurethane, R = 10
TorqueMaster® Plus	•		•
Joint Type	Pinch-Resistant	Tongue-and-Groove	Pinch-Resistant
TruChoice®	•		•
WindSafe® Options	•	•	•
Impact Options	•	•	
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime

^{*}Wayne Dalton uses a calculated door section R-value for our insulated doors.







Choose Your Color

Painted Finishes



Almond



Premium Finish











Stockbridge





Arched Stockton

Waterton III

Two-Toned Painted Finishes



Green



Brown




Window configuration may vary depending on door size.

Choose Your Windows







Westfield

Also available in solid arched top designs.

Somerset

Choose Your Color

Painted Finishes (Standard)





White/Brown





White/Terra Bronze



Choose Your Windows





Clear Long

Somerton





Stockbridge

Stockton






Stockton Arch


Wyndbridge

Window inserts are also available.

Window configuration may differ depending on door size. See Dealer or website for complete window selection.



Hampton



Camden

height.

Choose Your Color

Painted Finishes







White (Standard) Clav

Stained Finishes





Clay





Natural Oak



Green

Premium Finish

Model 9700 doors are hand stained for a natural look.

Two-Toned Painted Finishes



Honduran

Mahogany





White/Green











Plain Window Square

Plain Window Arched



16 Window Square

12 Window Arched



6 Window Arched 8 Window Arched

16 Window Arched


Window names reflect number of panes. Window configuration may differ depending on door size. See Dealer or website for complete window selection.

Oak Park









Horizontal Raised



Sonoma



Vertical

Raised

Horizontal V-Groove

Panel designs have a distinct wood grain pattern. See website for details.

Choose Your Color



White

Natural Oak

Walnut



Clay

Red Oak

Green





Cherry



Mahogany



Mahogany



Realistic wood detail

MODEL 9800			
Construction	Fiberglass/Steel/ Insulation/Steel		
Insulation*	Polyurethane, R = 7.6		
TorqueMaster® Plus	•		
Joint Type	Pinch-Resistant		
WindSafe® Options	•		
Warranty	Limited Lifetime		

Choose Your Windows










16 Lite



Horizontal Raised







Vertical Raised

Window names reflect number of panes. Not all windows available for all panel designs. Window configuration may vary depending on door size. See Dealer or website for complete window selection.

^{*}Wayne Dalton uses a calculated door section R-value for our insulated doors.







	MODEL 8800	MODEL 8850	MODEL 8450
Availability	West Region	Central and East Region	Nationwide
Construction	Aluminum with Reinforcing Fins	Aluminum with Reinforcing Fins	Aluminum with Reinforcing Fins
Frameless Glass	N/A	N/A	•
Insulation*	Optional Polyurethane, R < 4.36	Optional Polyurethane, R < 4.36	N/A
Joint Type	Tongue-and-Groove	Tongue-and-Groove	Tongue-and-Groove
RAL Powder Coat	•	•	N/A
Warranty	5-Year Limited	1-Year Limited	1-Year Limited

^{*}Wayne Dalton uses a calculated door section R-value for our insulated doors.





Choose Your Frame Color

Powder Coated Finishes (Standard)







Black

Anodized Finishes (Optional)





Bronze

Choose Your Glass







Mirrored Bronze



Translucent Black







Opaque Black

Black





Choose Your Frame Color

Anodized Finishes







Clear (Standard) Bronze





Black

Black Painted Finishes (8850 only)



White

Choose Your Glass











Green Tinted







Gray Tinted




White Laminated



Dark Bronze









MODEL 8700			
Construction	Vinyl/Insulation/Vinyl		
Insulation*	Polyurethane, R = 11.75		
TorqueMaster® Plus	•		
Joint Type	Tongue-and-Groove		
WindSafe® options	•		
Warranty	15-Year Limited		

^{*}Wayne Dalton uses a calculated door section R-value for our insulated doors.



Colonial



Choose Your Color









Cape Cod Gray

Monterey Sand

Choose Your Windows





Cathedral I

Ruston



Stockton I

Williamsburg I

Window configuration may vary depending on door size. See Dealer or website for complete window options.

Stunning Craftsmanship

Wood garage doors are the ideal choice for homes of distinction, offering a refined elegance that only premium wood materials can achieve. Our craftsmen hand-build these beautiful wood doors with thorough attention to detail for a truly remarkable garage door.







	GOOD		BETTER		ST
	40 SERIES	100 SERIES	300 SERIES	MODEL 7100	MODEL 7400
Construction	Wood/Insulation/Wood	Wood overlay/Wood	Wood/Insulation	Wood overlay/Wood panel/Wood backer	Wood overlay/Wood panel/Insulation/Wood backer
Design	Flush	Recessed Panel	Raised Panel	Carriage House	Carriage House
Insulation*	Polystyrene, R = 4.75	N/A	Polystyrene, R = 7.4	Optional Polystyrene, R = 4.75	Polystyrene, R = 4.75
Section Thickness	1-3/8" to 1-5/8"	1-3/8"	1-3/8"	1-5/8"	2″**
Paint Grade	•	•	•	•	•
Stain Grade	•		•	•	•
WindSafe® Options				•	•
Warranty	1-Year Limited	1-Year Limited	1-Year Limited	1-Year Limited	1-Year Limited

^{*}Wayne Dalton uses a calculated door section R-value for our insulated doors. **Thickness may vary slightly depending on wood type.



1 Choose Your Wood



T1-11 plywood F



Rough sawn plywood



Smooth plywood

2 Choose Your Windows







Sunray 3 over 3 Window configuration may vary depending on door size.

30 Window configuration may vary depending on door size.

Model 40, Flush panel, Custom painted after installation



Single-car door designs. (optional windows shown).







Smooth


hardboard



Smooth plywood

Choose Your Wood

Double-car door designs. (optional windows shown).





Choose Your Windows







Plain Short Panel

Stockton*






Window configuration may vary depending on door

*Other Stockton windows are available. Not all windows are available in all sizes. Consult your Dealer for details.



Panel Designs



Model 300, 4x4 panel, Custom stained after installation

Double-car designs look like two single-car doors together.

Choose Your Wood



Hemlock



*Not available primed.

Choose Your Windows

Wood Window Inserts



Bachelor

Cathedral

Sherwood



Ruston



Sunray



True Divided Windows





Colonial Stockton

Elongated Stockton

Window configuration may vary depending on door size. Not all windows available on all models. See Dealer or website for details.

5-6




Carriage House Wood




Model 7103, Mustang panel, Custom stained after installation, 6 Lite Arched windows




Choose Your Style




Model 7104 Palomino Wide



Model 7101 Clvdesdale



Model 7105 Stallion Narrow




Model 7104 Palomino Narrow



Model 7103 Mustang



Model 7102 Appaloosa Grooved



Model 7101 Clydesdale Grooved



Model 7105 Stallion Wide



Model 7102 Appaloosa

Choose Your Wood



Douglas Fir





Sapele Mahogany




Meranti



Knotty Cedar



Western Red Cedar



Choose Your Windows

Square Top

True Vertical Divided



4 Lite



6 Lite



8 Lite

Arched Top True Vertical Divided



4 Lite





8 Lite

Square Top

True Cross Divided



8 Lite



12 Lite



16 Lite

Arched Top

True Cross Divided



8 Lite



12 Lite



16 Lite

Carriage House Wood





Choose Your Style



Remington



Model 7411 Belmont



Model 7412 Derby



Model 7406 Belterra



Model 7400 DelMar



Model 7402 Churchill

Choose Your Wood



Model 7410 Saratoga



Model 7401 Preakness



Douglas Fir



Sapele Mahogany



Hemlock



Meranti



Western Red Cedar

Window names reflect number of panes. Window configuration may vary depending on door size. See Dealer or website for complete window selection.

Choose Your Windows

Square Top



4 Lite



6 Lite



8 Lite





4 Lite





8 Lite

Square Top

True Cross Divided



8 Lite



12 Lite



16 Lite

Arched Top

True Cross Divided



8 Lite



12 Lite



16 Lite





Garage Door Design Center

To see this door on your home, visit **wayne-dalton.com**, or download our app, and try our Garage Door Design Center. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.

Wayne Dalton.

2501 S. State Hwy. 121 Bus., Ste 200 Lewisville, TX 75067



